


ALUMINIUM PRODUCTS




2119 DOOR STOP
 • skirting board mounted
 lengths L : 65, 77



2113 DOOR STOP
 • skirting board mounted




1157 FLUSH PULL



Liberator


Emergency Release Stay for Windows

FOR DETAILS SEE PAGE 44



6310 25mm wide straight
lengths L : 50, 64, 76,
102, 152

6320 32mm wide straight
lengths L : 102, 152, 203,
254, 305



6315 25mm wide necked
lengths L : 76, 102, 152


6325 32mm wide necked
lengths L : 102, 152, 203,
254, 305



**0604 EASY CLEAN
SOCKET**

- shaped for easy cleaning
- fixing pack for wood and concrete

to suit shoot size : 13mm
diameter maximum



0440 BOLT

- knob slide action

lengths L : 152, 229, 305
shoot size : 11 diameter
length of throw : 16
depth of mortice D : 22




5642 CROSS STRAP

- made from corrosion free stainless steel
- concealed from view no need to match bolt finish

provides strong top fixing when bolt fitted in the door face

suitable for 5640, 0440 and 0443 flush bolts



5640 BOLT

- lever action
- high quality coil springing
- smooth easy action
- parallel line of movement

lengths L : 152, 203, 254,
305


widths W : 19, 25
shoot size : 11 diameter
length of throw : 16
depth of mortice D : 22



5640R BOLT
as 5640 but offering the
added benefit of
ROUND ENDS

Ideal for:

- joinery shop preparation
- on-site fitting using power routing tools



**5640 ASP
ANGLE STRIKING PLATE**

- designed to strengthen frame fixing where necessary

to suit 11mm shoot





F R A N K A L L A R T

Frank Allart & Company Ltd

15/35 Great Tindal Street, Ladywood, Birmingham, B16 8DR, UK.

Tel: 0121- 410 6000 Fax: 0121- 410 6066

International · Tel: +44 (0)121- 410 6000 Fax: +44 (0)121- 410 6066

e-mail: sales@allart.co.uk Web Site: www.allart.co.uk

